



Libyan International Medical University Faculty of Basic Medical Science 2017-2018/Year

How alcohol leads to malnutrition and it's complications

Student Name: Annas Mahmud Nagem

Student Number: 1185

Date of Submission : April 13, 2018

Abstract: alcohol consumption by evidence in recent studies is thought to play a role in causing malnutrition , either by breaking down the gastrointestinal tract digestive enzymes thus preventing nutrient metabolism and absorption , or impairing nutrient active transport and increasing gut wall permeability by cause damage to the gut mucosa , alcohol is also known to be a diuretic leading to fluid and nutrient loss through micturition , important nutrient deficiencies include protein deficiency , fat-soluble vitamins such as vitamin A (retinol) , vitamin E , vitamin D , vitamin K and water soluble vitamins such as vitamin B1 (thiamine) , vitamin B2 (riboflavin) , vitamin C (ascorbic acid) , niacin (vitamin B3 , nicotinic acid) , vitamin B6 (pyridoxine) , , folic acid deficiency , also fluid loss during micturition leads to dehydration and loss of important ions such as magnesium , potassium and sodium , a deficiency in these nutrients may lead to life threating complications and for that reason it is best to avoid intake of alcohol 1,2,3,4

Introduction: Alcohol consumption is a normal habbit and social activity in most countries especially western and asian countries, it is thought to give a sense of reward and satisfaction, although recent studies have confirmed that excessive alcohol consumption through several different ways may cause malnutrition, depend on the nutrient deficient, several different complications and consequences develop, how these series of pathological events occurs is what this report is mainly about .^{1,2,3,4}

Discussion:

Causes of malnutrition: malnutrition may indirectly occur from a mere influence on the alcoholic person's diet, in which he or she replaces carbohydrate and mineral rich food with alcohol in consumption, or in other cases alcohol may disrupt and damage the gastrointestinal tract mucosa resulting impaired nutrient absorption, in addition nutrients may leak from the blood to the GUT lumen due to the increased mucosal permeability; alcohol may also breakdown the intestinal digestive enzymes preventing nutrient metabolism which further more prevents their active transport and absorption, in addition alcohol also increases GIT motility resulting in decreased absorption of nutrients, as for the metabolism of alcohol it requires the consumption of vitamin B1 (thiamine) and niacin which may lead to their deficiency; also the fact that alcohol is considered a diuretic, it causes dehydration due to frequent urination and the loss of important minerals such as zinc, potassium and magnesium; further more chronic alcohol consumption is known to cause liver damage potentially leading to cirrhosis, and in liver vitamins like vitamin A are normally converted to their active form, so liver damage impaires this conversion. 1.2.3,4

Important nutritional deficiencies found in alcoholic individuals: protein forming amino acids are some of common deficiencies found in alcoholics, which lead to health hazardous complications such as albumin deficiency, a decrease in blood clotting factors which may lead to gastrointestinal bleeding, further more there is a decrease in uric acid synthesis and since uric acid rids the body of excess ammonia through urine excretion, a decrease in uric acid the retention of excess ammonia which may lead to hepatic encephalopathy thus affecting the brain, in addition to protein deficiencies, several vitamins may be deficient in alcoholics, including vitamin A, specifically when liver damage occurs leading to the impaired conversion B-carotene to the active form of vitamin A (retinol), thus leading to an increased serum level of B-carotene, proving this theory a study was done on baboons, where alcohol was administered first for 4 to 6 weeks and resulted in a 60% reduction of the liver vitamin A, it aggravated in the 7 to 9 week administration



to 72%, also the baboons received 5 times the normal vitamin A dose and still the vitamin A levels remained the same, in terms of complications vitamin A deficiency may lead to night blindness, , xeropthalmia, hair and skin dryness, vitamin B1 (thiamine) deficiency leads to beri beri causing failure in muscle coordination since thiamine is responsible for carbohydrate metabolism and formation of ATP, a severe form of beri beri causes Wernicke – korsakoff syndrome characterized by phsycosis, irreversible memory loss and brain shrinkage, as for the deficiency in niacin (nicotinic acid or vitamin B3), it leads to sleeping disorders since niacin enters in the formation of the hormone melatonin which regulates the sleeping cycle, folate deficiency can lead to megaloblastic anemia and interfere with spinal cord formation in early pregnancy since it's required for normal DNA synthesis and red blood cell maturation, it also impaires the absorption of H2O, glucose and sodium, the lack of sleep obtained by sleeping disorders and other alcoholic symptoms causes a lot of stress that stimulates the release of cortisol which stimulates fat retention , cortisol is lowered by vitamin C (ascorbic acid), so the constant consumption of vitamin C leads to scurvy and also quick aging because vitamin C is responsible for the synthesis of collagen, a protein found in the body's skin and other body connective tissue, vitamin D deficiency leads to riskets in children and osteomalcia in adults since vitamin D aids the absorption of calcium in the gastrointestinal tract, vitamin E deficiency leads to spinocerebellar degeneration. 1,2,3,4

Conclusion : recent studies have confirmed that alcohol indeed through several different ways leads to malnutrition , which have both physical and psychological consequences and complications , for that reason , it is important to avoid alcohol consumption and as for drinkers , it recommended to drink less (moderately) and to obtain adequate nutrition in diet .^{1,2,3,4}

References:

- 1- World MJ, et al. "Alcoholic Malnutrition And The Small Intestine. Pubmed NCBI." Ncbi.nlm.nih.gov. N.p., 2018. Web. 13 Apr. 20182- Robbins, Stanley L et al. Robbins And Cotran Pathologic Basis Of Disease. 8th ed. Philadelphia, PA: Saunders, Elsevier, 2009.
- 3- Alcohol Abuse & Malnutrition | CRC Health Group." Crchealth.com. N.p., 2018. Web. 13 Apr. 2018.
- 4- ."Alcohol Can Lead To Malnutrition." MSU Extension. N.p., 2018. Web. 13 Apr. 2018.